DENTAL CHAIR



牙椅RX-DU-H1(R1)

Model: RX-DU-H1(R1)

90°可旋转侧箱设计
90° rotatable side box design





6颗可调色温LED感应灯
Adjustable color temperature
LED sensor light with 6 bulbs





Pu/超纤皮座椅
PU/ultra fiber leather patient seat



最低椅位380mm
The lowest position is 380 mm

产品特点

1.豪华感应口腔灯，6颗灯珠，两种光源供选择。
2.最低椅位低至380mm, 方便老人和小孩就坐。
3.侧箱可90度旋转，给医护协作提供足够的空间。
4.座椅设计符合人体工程学，使治疗过程更加舒适。
5.强弱吸手柄为不锈钢、铝合金和硅胶组合结构，重量轻，密封性好。

Product features:

1.Luxury sensor dental lamp with 6 LED bulbs and 2 light sources for option.
2.The lowest position of dental chair is 380mm, which is convenient for the older and younger to sit.
3.Sidebox can be rotated 90 degree,providing enough space for operation of dentist and nurse.
4.The patient chair is ergonomically designed to make the treatment process more comfortable.
5.The strong and weak suction handle is a combination structure of stainless steel, aluminum alloy and silicone, which is light in weight and has good sealing performance.

参数 Specifications:

电源电压 Power Voltage: 220V-50Hz/110V-60Hz
电机电压 Motor Voltage: 24V
气　　压 Air Pressure: 0.5MPa-0.8MPa
水　　压 Water Pressure: 0.2MPa-0.4MPa

标准配置 Standard configurations:

高速手机管/High speed handpiece tube	2set
低速手机管/Low speed handpiece tube	1set
三用喷枪（冷/热）/3-way syringe(hot/cold)	2set
可旋转侧箱/Rotatable side box	1set
陶瓷痰盂/Ceramic spittoon	1set
感应口腔灯/Sensor LED lamp	1set
强/弱吸唾器/Strong/weak suction	1set
高品质可上下电机/High quality raise and fall motor	1set
主控系统/Main control system	1set
副控系统/Assistant operating control system	1set
漱口水加热系统/Water heater system	1set
豪华多功能脚踏/Luxury multifuction foot pedal	1set
带气锁装置器械盘/Air brake instrument tray	1set
进口水气管/Import air&water pipe	1set
超纤皮/PU leather cushion	1set
双扶手/Double armrests	1set
医生椅/Dentist chair	1set

参考色板 Color for option:



牙椅RX-DU-H1(R1)上

Model: RX-DU-H1(R1)

其他可选款式 Other types for option

RX-DU-H1(R1)-T



上挂款 Top-mounted version

RX-DU-H1(R1)-C



推车款 Mobile cart version

牙椅RX-DU-H3(R3)

Model: RX-DU-H3(R3)

90°可旋转侧箱设计
90° rotatable side box design









6颗可调色温LED感应灯
Adjustable color temperature
LED sensor light with 6 bulbs



蝴蝶型金属靠背
Butterfly metal backrest

最低椅位380mm
The lowest position is 380 mm

产品特点

1.豪华感应口腔灯，6颗灯珠，两种光源供选择。
2.最低椅位低至380mm, 方便老人和小孩就坐。
3.侧箱可90度旋转，给医护协作提供足够的空间。
4.座椅设计符合人体工程学，使治疗过程更加舒适。
5.强弱吸手柄为不锈钢、铝合金和硅胶组合结构，重量轻，密封性好。

参数 Specifications:

电源电压 Power Voltage: 220V-50Hz/110V-60Hz
电机电压 Motor Voltage: 24V
气　　压 Air Pressure: 0.5MPa-0.8MPa
水　　压 Water Pressure: 0.2MPa-0.4MPa

标准配置 Standard configurations:

高速手机管/High speed handpiece tube	2set
低速手机管/Low speed handpiece tube	1set
三用喷枪(冷/热)/3-way syringe(hot/cold)	2set
可旋转侧箱/Rotatable side box	1set
一体式陶瓷痰盂/Integrated ceramic spittoon	1set
双色感应口腔灯/Sensor LED dental lamp with 2 light sources	1set
强/弱吸唾器/Strong/weak suction	1set
进口品质上下电机/Imported motor	1set
主控系统/Main control system	1set
副控系统/Assistant operating control system	1set
漱口水加热系统/Water heater system	1set
豪华多功能脚踏/Luxury multifuction foot pedal	1set
带气锁装置器械盘/Air brake instrument tray	1set
进口水气管/Import air&water pipe	1set
超纤皮/Microfiber leather cushion	1set
双扶手/Double armrests	1set
医生椅/Dentist chair	1set
带9个记忆椅位主控系统/With 9 memory chair positions	1set
补偿椅位/Compensation chair position	1set
手机管独立供水加热系统/ Independent water heating system for handpiece	1set
双水瓶配置/Double water bottles	1set

Product features:

1.Luxury sensor dental lamp with 6 LED bulbs and 2 light sources for option.
2.The lowest position of dental chair is 380mm, which is convenient for the older and younger to sit.
3.Sidebox can be rotated 90 degree,providing enough space for operation of dentist and nurse.
4.The patient chair is ergonomically designed to make the treatment process more comfortable.
5.The strong and weak suction handle is a combination structure of stainless steel, aluminum alloy and silicone, which is light in weight and has good sealing performance.

参考色板 Color for option:



牙椅RX-DU-H3(R3)⊾

Model: RX-DU-H3(R3)

其他可选款式 Other types for option

RX-DU-H3(R3)-T



上挂款 Top-mounted version

RX-DU-H3(R3)-C



推车款 Mobile cart version

牙椅RX-DU-X3(R4)

Model: RX-DU-X3(R4)

90°可旋转侧箱设计
90° rotatable side box design





6颗可调色温LED感应灯
Adjustable color temperature
LED sensor light with 6 bulbs





Pu/超纤皮座椅
PU/ultra fiber leather patient seat



自主研发的微电脑控制系统
Independent research and development
of the micro-computer control system

产品特点

1.豪华感应口腔灯，6颗灯珠，两种光源供选择。
2.最低椅位低至380mm, 方便老人和小孩就坐。
3.侧箱可90度旋转，给医护协作提供足够的空间。
4.座椅设计符合人体工程学，使治疗过程更加舒适。
5.强弱吸手柄为不锈钢、铝合金和硅胶组合结构，重量轻，密封性好。

Product features:

1.Luxury sensor dental lamp with 6 LED bulbs and 2 light sources for option.
2.The lowest position of dental chair is 380mm, which is convenient for the older and younger to sit.
3.Sidebox can be rotated 90 degree,providing enough space for operation of dentist and nurse.
4.The patient chair is ergonomically designed to make the treatment process more comfortable.
5.The strong and weak suction handle is a combination structure of stainless steel, aluminum alloy and silicone, which is light in weight and has good sealing performance.

参数 Specifications:

电源电压 Power Voltage: 220V-50Hz/110V-60Hz
电机电压 Motor Voltage: 24V
气　　压 Air Pressure: 0.5MPa-0.8MPa
水　　压 Water Pressure: 0.2MPa-0.4MPa

标准配置 Standard configurations:

高速手机管/High speed handpiece tube	2set
低速手机管/Low speed handpiece tube	1set
三用喷枪（冷/热）/3-way syringe(hot/cold)	2set
可旋转侧箱/Rotatable side box	1set
陶瓷痰盂/Ceramic spittoon	1set
感应口腔灯/Sensor LED lamp	1set
强/弱吸唾器/Strong/weak suction	1set
高品质可上下电机/High quality raise and fall motor	1set
主控系统/Main control system	1set
副控系统/Assistant operating control system	1set
漱口水加热系统/Water heater system	1set
豪华多功能脚踏/Luxury multifuction foot pedal	1set
带气锁装置器械盘/Air brake instrument tray	1set
进口水气管/Import air&water pipe	1set
超纤皮/PU leather cushion	1set
双扶手/Double armrests	1set
医生椅/Dentist chair	1set

参考色板 Color for option:



牙椅RX-DU-H1(R5)

Model: RX-DU-H1(R5)

90°可旋转侧箱设计
90° rotatable side box design









4颗LED牙科灯
LED dental light with 4 bulbs



最低椅位380mm
The lowest position is 380 mm

产品特点

1.LED口腔灯，4颗灯珠。
2.最低椅位低至380mm, 方便老人和小孩就坐。
3.侧箱可90度旋转，给医护协作提供足够的空间。
4.座椅设计符合人体工程学，使治疗过程更加舒适。
5.强弱吸手柄为不锈钢、铝合金和硅胶组合结构，重量轻，密封性好。

Product features:

1. LED dental light with 4 bulbs.
2.The lowest position of dental chair is 380mm, which is convenient for the older and younger to sit.
3.Sidebox can be rotated 90 degree,providing enough space for operation of dentist and nurse.
4.The patient chair is ergonomically designed to make the treatment process more comfortable.
5.The strong and weak suction handle is a combination structure of stainless steel, aluminum alloy and silicone, which is light in weight and has good sealing performance.

参数 Specifications:

电源电压 Power Voltage: 220V-50Hz/110V-60Hz
电机电压 Motor Voltage: 24V
气　　压 Air Pressure: 0.5MPa-0.8MPa
水　　压 Water Pressure: 0.2MPa-0.4MPa

标准配置 Standard configurations:

高速手机管/High speed handpiece tube	2set
低速手机管/Low speed handpiece tube	1set
三用喷枪（冷/热）/3-way syringe(hot/cold)	2set
可旋转侧箱/Rotatable side box	1set
陶瓷痰盂/Ceramic spittoon	1set
感应口腔灯/Sensor LED lamp	1set
强/弱吸唾器/Strong/weak suction	1set
高品质可上下电机/High quality raise and fall motor	1set
主控系统/Main control system	1set
副控系统/Assistant operating control system	1set
漱口水加热系统/Water heater system	1set
豪华多功能脚踏/Luxury multifuction foot pedal	1set
带气锁装置器械盘/Air brake instrument tray	1set
进口水气管/Import air&water pipe	1set
超纤皮/PU leather cushion	1set
单扶手/Single armrest	1set
医生椅/Dentist chair	1set

参考色板 Color for option:



牙椅RX-DU-H1(R5)⊾

Model: RX-DU-H1(R1)

其他可选款式 Other types for option

RX-DU-H1(R5)-T



上挂款 Top-mounted version

RX-DU-H1(R5)-C



推车款 Mobile cart version

牙椅RX-DU-H3 ㄥ

Model: RX-DU-H3

可旋转陶瓷痰盂
Rotatable ceramic spittoon





双扶手Double Armrest





感应式开关，触摸式滑条8级
照度和色温调整
Touch panel design and
Illumination: 8000-30000 Lux



自主研发的微电脑控制系统
Independent research and development
of the micro-computer control system

多功能脚控 Multifunction foot control
真皮座垫 Leather cushion
带气锁装置器械盘 Air brake instrument tray
触摸屏控制面板Touchable control panel
最低椅位: 400mm　Lowest chair position: 400mm
最高椅位: 800mm　Highest chair position:800mm

参数 Specifications:

电源电压 Power Voltage: 220V-50Hz/110V-60Hz
电机电压 Motor Voltage: 24V
气　　压 Air Pressure: 0.5MPa-0.8MPa
水　　压 Water Pressure: 0.2MPa-0.4MPa

参考色板



标准配置 Standard configurations:

三用枪（冷/热）/3-way syringe(cold/hot)	2套/2sets
高速涡轮手机管/High speed handpiece tube	1套/1set
低速涡轮手机管/Low speed handpiece tube	1套/1set
强吸唾器/Strong suction tube	1套/1set
弱吸唾器/Weak suction tube	1套/1set
医生座椅/Dentist Stool	1套/1set
口腔灯/Dental light	1套/1set
自动恒温供水系统/Warm water system	1套/1set
手机纯净水供应系统/Pure water supply system	1套/1set
多功能脚踏Multifunction foot pedal	1套/1set
24V静音电动椅/DC 24V motor driven chair	1套/1set
多功能助手单元/Multifunctional assisant device	1套/1set
9个记忆椅位/Nine memory system	1套/1set

牙椅RX-DU-H3 ∠

Model: RX-DU-H3

其他可选款式 Other types for option

RX-DU-H3-T



上挂款 Top-mounted version

RX-DU-H3-C



推车款 Mobile cart version

牙椅RX-DU-H1

Model: RX-DU-H1

可旋转并可拆卸陶瓷痰盂
Rotatable& detachable ceramic spittoon





led 感应灯
Dental chair with 6 LED bulbs



双扶手Double Armrest

多功能脚控 Multifunction foot control
Pu座垫 PU cushion seat
带气装置器械盘 Air brake instrument tray
触摸屏控制面板 Touchable control panel
最低椅位: 380mm　Lowest chair position: 380mm
最高椅位: 800mm　Highest chair position:800mm

自主研发的微电脑控制系统
Independent research and development
of the micro-computer control system

参考色板



参数 Specifications:

电源电压 Power Voltage: 220V-50Hz/110V-60Hz
电机电压 Motor Voltage: 24V
气　　压 Air Pressure: 0.5MPa-0.8MPa
水　　压 Water Pressure: 0.2MPa-0.4MPa

标准配置 Standard configurations:

三用枪（冷/热）/3-way syringe(cold/hot)	2套/2sets
高速涡轮手机管/High speed handpiece tube	1套/1set
低速涡轮手机管/Low speed handpiece tube	1套/1set
强吸唾器/Strong suction tube	1套/1set
弱吸唾器/Weak suction tube	1套/1set
医生座椅/Dentist Stool	1套/1set
口腔灯/Dental light	1套/1set
自动恒温供水系统/Warm water system	1套/1set
手机纯净水供应系统/Pure water supply system	1套/1set
多功能脚踏Multifunction foot pedal	1套/1set
24V静音电动椅/DC 24V motor driven chair	1套/1set
多功能助手单元/Multifunctional assisant device	1套/1set
LED观片灯/LED x-ray viewer	1套/1set

牙椅RX-DU-H1

Model: RX-DU-H1

其他可选款式 Other types for option

RX-DU-H1-T



上挂款 Top-mounted version

RX-DU-H1-C



推车款 Mobile cart version

牙椅RX-DU-X3 ㄥ

Model: RX-DU-X3

可旋转并可拆卸陶瓷痰盂
Rotatable& detachable ceramic spittoon





led 感应灯
Dental chair with 4 LED bulbs



双扶手Double Armrest



自主研发的微电脑控制系统
Independent research and development of the micro-computer control system

多功能脚控 Multifunction foot control
Pu座垫 PU cushion seat
带气锁装置器械盘 Air brake instrument tray
触摸屏控制面板 Touchable control panel
最低椅位: 380mm　Lowest chair position: 380mm
最高椅位: 800mm　Highest chair position:800mm

参数 Specifications:

电源电压 Power Voltage: 220V-50Hz/110V-60Hz
电机电压 Motor Voltage: 24V
气　　压 Air Pressure: 0.5MPa-0.8MPa
水　　压 Water Pressure: 0.2MPa-0.4MPa

参考色板



标准配置 Standard configurations:

三用枪（冷/热）/3-way syringe(cold/hot)	2套/2sets
高速涡轮手机管/High speed handpiece tube	1套/1set
低速涡轮手机管/Low speed handpiece tube	1套/1set
强吸唾器/Strong suction tube	1套/1set
弱吸唾器/Weak suction tube	1套/1set
医生座椅/Dentist Stool	1套/1set
口腔灯/Dental light	1套/1set
自动恒温供水系统/Warm water system	1套/1set
手机纯净水供应系统/Pure water supply system	1套/1set
多功能脚踏Multifunction foot pedal	1套/1set
24V静音电动椅/DC 24V motor driven chair	1套/1set
多功能助手单元/Multifunctional assisant device	1套/1set
LED观片灯/LED x-ray viewer	1套/1set

牙椅RX-DU-X3 ㄥ

Model: RX-DU-X3

其他可选款式 Other types for option

RX-DU-X3-T



上挂款 Top-mounted version

RX-DU-X3-C



推车款 Mobile cart version

可选配件

Optional Accessories



Built-in dental scaler
内置洁牙机



Built-in curing light
内置光固化



Dental suction
负压



Air compressor
空压机



Dental computer oral camera
口腔内窥镜电脑一体机



Whitening instrument
美白仪



LED dental lamp
LED口腔灯



LED dental lamp
LED口腔灯



Shadowless led lamp
无影灯



Dentist chair
医生椅



Dentist chair
医生椅



Dentist chair
医生椅

折叠式牙椅乙

FOLDING DENTAL CHAIR

可选配：
Optional





涡轮机
Turbine



空压机
Air compressor



小推车
Mobile Cart

1.高强度铝合金结构。
2.可提供便携式牙科椅的袋子。
3.最大重量支撑:200KG。
4.背板倾斜角度105-180度。
5.柔软的PU皮革坐垫。
6.5档位置调整,45-70cm的高度至完全变平。

1. High strength aluminium alloy construction.
2. Bag for the portable dental chair is available.
3. Maximum Weight support : 200KG.
4. Backplate tilt angle 105-180 degree.
5. Soft PU leather cushion.
6. 5 position adjustment for complete flattening 45-70cm above ground.

Water Pressure/水压:	0.1Mpa-0.25Mpa
Air Pressure for Handpiece/手柄气压:	0.01Mpa-0.4Mpa
Illumination/照明:	LED light, The lamp arm can rotate 360 degrees/LED灯,灯臂可以360度旋转
Power of LED/LED功率:	8W
Brightness of LEDs/LED亮度:	10000mcd
Power Supply/电源:	110VAC~240VAC ,50Hz~60Hz
Weight/重量:	35KG
Product Size/产品尺寸:	99cmX67cmX35cm

移动牙科小推车 L

DENTAL MOBILE CART



工作台尺寸:54X35cm
尺寸:70X50X31cm
毛量:25KG
净重:23KG

Workbench size:54X35cm
Dimension:70X50X31cm
G.W :25KG
N.W :23KG

Power source/电源	AC 220V 50HZ
Air pressure/空气压力	0.35Mpa
Removable wheels/万向轮	4 PCS
Three-ways Syringe/水雾三用枪	1 PC
Strong and weak suction/强弱吸	1PC
Foot pedal/脚踏板	1 PC
Handpiece tube/软管	3 PCS
Water Bottle 600ml/600ml水瓶	1 PC

便携式牙科治疗仪(一)

PORTABLE DENTAL UNIT（ONE)



RX-PD-406

功能特点

电源： 220V/50Hz 110V/60Hz
功率： 550W
流量：130L/min
压力：0.8Mpq
净重：31公斤
毛重：36公斤
噪音：40dB
包装尺寸：54cm*41cm*75cm

FEATURES

VOLTAGE: 220V/50Hz 110V/60Hz
POWER： 550W
AIR FLOW：130L/min
PRESSURE：0.8Mpq
N.W.：31公斤
G.W.：36公斤
NOISE：40dB
DIMENSION：54cm*41cm*75cm

基本配置

无油泵头	1台
三用喷枪	1把
牙科高速手机管	1条
牙科低速手机管	1条
可调式强式吸睡器	1套
储气罐（6L）	1只
净水瓶	1只
污水瓶	1只
脚踏开关	1台
内置洁牙机	1支
LED光固化机	1支

选配

高速牙科手机
低速牙科手机

STANDARD ACCESSOIRIES

Oilless Air Compressor
3way syringe
High speed Handpiece Tube
Low Speed Handpiece Tube
Strong Suction(Adjust)
6L Air Tank
Water Bottle
Drain Bottle
Foot Control
Built in scaler
LED Light Curing Unit

OPTIONS

High speed handpiece
Low speed handpiece

便携式牙科治疗仪(二) 乙

PORTABLE DENTAL UNIT (TWO)



RX-PD-406A

功能特点

电源： 220V/50Hz 110V/60Hz
功率： 550W
流量：130L/min
压力：0.8Mpq
净重：31公斤
毛重：36公斤
噪音：40dB
包装尺寸：54cm*41cm*75cm

FEATURES

VOLTAGE: 220V/50Hz 110V/60Hz
POWER: 550W
AIR FLOW: 130L/min
PRESSURE: 0.8Mpq
N.W.: 31公斤
G.W.: 36公斤
NOISE: 40dB
DIMENSION: 54cm*41cm*75cm

基本配置

无油泵头	1台
三用喷枪	1把
牙科高速手机管	1条
牙科低速手机管	1条
可调式强式吸睡器	1套
储气罐（6L）	1只
净水瓶	1只
污水瓶	1只
脚踏开关	1台

STANDARD ACCESSOIRIES

Oilless Air Compressor
3way syringe
High speed Handpiece Tube
Low Speed Handpiece Tube
Strong Suction(Adjust)
6L Air Tank
Water Bottle
Drain Bottle
Foot Control



6L 不锈钢储气瓶
6L Stainless Steel Air Tank

选配

高速牙科手机
低速牙科手机

OPTIONS

High speed handpiece
Low speed handpiece

便携式牙科治疗仪(三)

PORTABLE DENTAL UNIT (THREE)

功能特点

电源：220V/50Hz 110V/60Hz
功率：550W
流量：130L/min
压力：0.6Mpa
净重：15公斤
毛重：20公斤
噪音：39dB
包装尺寸：40cm*29cm*28cm

FEATURES

VOLTAGE:220V/50Hz 110V/60Hz
POWER:550W
AIR FLOW:130L/min
PRESSURE:0.6Mpa
N.W.:15KG
G.W.:20KG
NOISE:39dB
DIMENSION:40cm*29cm*28cm



RX-PD-402

基本配置

无油泵头	1台
三用喷枪	1把
牙科高速手机管	1条
牙科低速手机管	1条
吸唾器	1套
储气罐（6L）	1只
净水瓶	1套
污水瓶	1套
脚踏开关	1只

STANDARD ACCESSOIRIES

Oilless Air Compressor	1 Set
3way syringe	1 Set
High speed Handpiece Tube	1 Set
Low Speed Handpiece Tube	1 Set
saliva ejector	1 Set
6L Air Tank	1 Set
Water Bottle	1 Set
Drain Bottle	1 Set
Foot Control	1 Set

选配

超声波洁牙器
LED光固化机
高速牙科手机
低速牙科手机

OPTIONS

Ultrasonic Scaler
LED Light Curing Unit
High speed handpiece
LOW speed handpiece





RX-PD-402B



四个配置
Four collocations



控气压/水按钮
Control the air pressure or water



牢固便易拉杆
Stronge and portable draw-bar

便携式牙科治疗仪(四)

PORTABLE DENTAL UNIT (FOUR)



RX-PD-401

功能特点（RX-PD-401)

电源：220V/50Hz 110V/60Hz
功率：410W
流量：130L/min
压力：0.6Mpa
净重：15公斤
毛重：20公斤
噪音：39dB
包装尺寸：48cm*30cm*30cm

FEATURES(RX-PD-401)

VOLTAGE:220V/50Hz 110V/60Hz
POWER:410W
AIR FLOW:130L/min
PRESSURE:0.6Mpa
N.W.:15KG
G.W.:20KG
NOISE:39dB
DIMENSION:48cm*30cm*30cm



四个配置
Four collocations



四个配置
Four collocations

功能特点（RX-PD-400)

电源：220V/50Hz 110V/60Hz
功率：410W
流量：130L/min
压力：0.6Mpa
净重：16公斤
毛重：21公斤
噪音：39dB
包装尺寸：41cm*37cm*32cm

FEATURES(RX-PD-400)

VOLTAGE:220V/50Hz 110V/60Hz
POWER:410W
AIR FLOW:130L/min
PRESSURE:0.6Mpa
N.W.:16KG
G.W.:21KG
NOISE:39dB
DIMENSION:41cm*37cm*32cm



RX-PD-400